


W9

7" Android5.1 MDT with Quad-core ARM Cortex-A7



Features

- 7" inch capacitive touch screen, 8 keys
- Android 5.1 OS
- Support 2*RS232, 1*CVBS input
- 9V-36V / No battery

Specifications

Processor & Operating System

CPU Rockchip RK3128 quad-core ARM Cortex-A7

Operating System Android 5.1 OS

Memory

DDR3 1GB

EMMC 8GB

Display

7 inch WVGA 1024*600, Capacitive screen

LED backlight, wide type

500cd/m²

Keypad & Buttons

8 buttons

Interface ports

RS232 serial ports	1 / max 2
CVBS Input	1
USB ports	1 x 2.0 USB Device/ A Type USB Host 2.0

Accessible Expansion Slots

Internal/External TF socket	Micro SD card / max 512G Byte
-----------------------------	-------------------------------

Internal SIM card	1
-------------------	---

I/O port

Digital input x 1 line / max 5

Digital output x 0 line / max 3

Audio

Speaker	2W 8ohm, Size:40mm
---------	--------------------

EAR & MIC

GPS(optional)

GPS/BD Module ATGM332D

66 channels

Sensitivity -163 dBm

Wireless Communication

RFID reader (Optional)	Mifare 1 s50,s70 meet requirement ISO14443A 13.56MHZ Mifare card
------------------------	--

Antenna(optional)

GPS Antenna	External
-------------	----------

Physical Characteristics

Size	215*105*28mm
------	--------------

Weight	Approximately 2kg
--------	-------------------

Environment

Main Power	9V~36V
------------	--------

Battery	No battery
---------	------------

Operating Temperature	-20°C to 70°C
-----------------------	---------------

Storage Temperature	-40°C to 85°C
---------------------	---------------

Humidity	5% - 90%
----------	----------



I/O Connector






Pin Definition

Please choose what interfaces you want, we will make new extension lines for you.



W9_3 v1.1 Short Cable



RS232 Cable V1.0

